GLASS EEL RECRUITMENT

Visualize the recruitment estimates made using the GEREM model in the SUDOANG project. These estimates are provided at the scale of SUDOE, eel management units, large areas defined in the model and river basins. Recruitment can be represented in different ways: absolute scale, relative scale, logarithmic scale, weighted by the surface area of the study area.

Choose your parameters in the dropdown menu below, the year from which you want to see the results and click "Update view" to see the first graph either lines or bars type. Once the recruitment estimates of your basin are generated, a table is displayed below to enter the annual catches. The plot next to it shows the exploitation rate. Both the recruitment estimates, and exploitation rates data are downloadable clicking on "Recruitment" and "Catch Rate" buttons. For help on the parameters click on "i".

Level	Year	Indicator		Scale	Type of plot	Log Scale	
sudoe ▼	2009 ▼	Recruitment ▼	Update View	◉ Absolute ○ Relative	◉ Lines ○ Bars	◉ FALSE ○ TRUE	ⓘ

Recruitment (Kg)
- 20,000,000
- 15,000,000
- 10,000,000
- 5,000,000

Leaflet | © OpenStreetMap contributors, CC-BY-SA

⬇ Recruitment&Density

Level: country ▾ Year: 2009 ▾ Indicator: Recruitment ▾ Update View

Scale: ● Absolute ○ Relative   Type of plot: ● Lines ○ Bars   Log Scale: ● FALSE ○ TRUE ⓘ

Recruitment (Kg)
- 210,000
- 200,000
- 190,000
- 180,000
- 170,000
- 160,000
- 150,000
- 140,000

France
Portugal
Spain

R (kg)
2E+7
1.5E+7
1E+7
0.5E+7
0

1960   1980   2000

Leaflet | © OpenStreetMap contributors, CC-BY-SA

⬇ Recruitment&Density

Level: zone ▾ Year: 2009 ▾ Indicator: Recruitment ▾ Update View

Scale: ● Absolute ○ Relative   Type of plot: ● Lines ○ Bars   Log Scale: ● FALSE ○ TRUE ⓘ

Recruitment (Kg)
- 250,000
- 200,000
- 150,000
- 100,000

ATL_F
CANT
Med

R (kg)
2E+7
1.5E+7
1E+7
0.5E+7
0

1960   1980   2000

Leaflet | © OpenStreetMap contributors, CC-BY-SA

⬇ Recruitment&Density